

N300RT





WPS



300Mbps Wireless N Router





Multiple SSIDs

> Overview

300Mbps Wireless N Router

Model No. N300RT_V4

N300RT_V4 is a wireless router that complies with IEEE 802.11n standards and delivers 2.4G wireless speed up to 300Mbps. With two high-gain external antennas, N300RT_V4 would bring us better experience on the wider Wi-Fi coverage and the wall-through ability. Meanwhile, IPTV function allows us to enjoy online movies at home, ideal choice for small homes.

> Features

- Complies with the IEEE 802.11n standards.
- 2.4GHz wireless speed up to 300Mbps.
- Supports DHCP, Static IP, PPPoE Internet connection type.
- Provides 64/128-bit WEP, WPA, WPA2, WPA-PSK, WPA2-PSK.
- Connects to a secure network easily by using WPS.
- QoS: Bandwidth Control based on IP address.
- IPTV function allows to enjoy online movies at home.
- Supports IP/Port filtering, MAC filtering, URL filtering,
 Virtual Server and DMZ.
- Universal Repeater and WDS function for easy Wi-Fi extension.
- Multiple SSIDs function enable users to create multiple Wi-Fi networks.
- Easy setup with smart Phone UI simplifies the basic settings.



Selling point

Easy Wireless Extender

N350RT easily helps to extend your source Wi-Fi to wider coverage and eliminate the Wi-Fi dead spots in the large rooms, thus enabling more users to get access to the Internet.



WPS button for easy connections

N300RT_V4 is equipped with a WPS button on the case, which is for easy and safe connections with other terminals, no need to remember the lengthy passwords any more.



IPTV is one of the most useful features in N300RT_V4, which allows to enjoy online movies at home, improving the users' experience on Multi-media.





Easy Setup via Smartphone UI

With the latest TOTOLINK APP in hand, managing routers has never been so easier. From the base setup to advanced personal settings, users can access and configure the router anywhere and anytime on their smartphone.





Specification

Hardware


Interface - 4 * 100Mbps LAN Ports - 1 * 100Mbps WAN Port

Power Supply - 9VDC/0.5A
Button - 1 * RST Button

- 1* WPS Button

LED Indicators - 1* System, 1* Wi-Fi, 1* WAN, 4* LAN
Antenna - 2 * external fixed antennas (2.4G)

Dimensions (L x W x H) - 134 x 76 x 24mm



Wireless

Reception Sensitivity

EIRP

Standards - IEEE 802.11n, - IEEE 802.11g,

- IEEE 802.11b

RF Frequency - 2.4GHz
Data Rate - 2.4GHz

te - 2.4GHz : Up to 300Mbps - 2.4GHz < 20dBm

Wireless Security - 64/128-bit WEP, WPA, WPA2, WPA-PSK, WPA2-PSK.

- 2.4G:

11b 11M: -81dBm@8% PER 11g 54M: -68dBm@10% PER 11g HT20 MCS7: 65dBm@10%

11n HT20 MCS7: -65dBm@10% PER HT40 MCS7: -62dBm@10% PER

Specification

Software

Status	- WAN	- Wireless	- LAN
	- System Information		
Network	- WAN Setting	- LAN Setting	- IPTV Setting
	- DHCP&ARP Tables	- Static Route	- Routing Table
Wireless	- Basic Settings	- Multiple SSID1	- Multiple SSID2
	- Multiple SSID3	- Multiple SSID4	- Advanced Settings
	- Access Control	- WDS Settings	- WPS Settings
	- Wireless Schedule		
QoS	- QoS On/Off	- Add a rule	- Current QoS Rules Table
Firewall	- MAC Filtering	- IP/Port Filtering	- Virtual Server(Port Forwarding)
	- URL Filtering	- DMZ	
System	- Upgrade Firmware	- Save/Reload Settings	- Time Zone Settings
	- DDNS	- Denial-of-Service	- TR-069 Config
	- Password Settings	- Reboot Schedule	- System Log -Statistics
	- Run Command	- Logout	

Others

Package Contents	- N300RT_V4 Wireless Router *1 - Power Adapter *1 - Ethernet Cable *1 - Quick Installation Guide *1
Environment	- Operating Temperature: 0 ℃ ~50 ℃ (32 ₮ ~122 ₮) - Storage Temperature: -40 ℃ ~70 ℃ (-40 ₮ ~158 ₮) - Operating Humidity: 10%~90% non-condensing - Storage Humidity: 5%~90% non-condensing

ZIONCOM (HK) TECHNOLOGY LIMITED

Copyright©ZIONCOM (HK) TECHNOLOGY CO., LTD. All Rights Reserved.

Headquarter & R&D Center

7/F, Unit D, 4 Building Shenzhen Software Industry Base, Xuefu Road, Nanshan District, Shenzhen, Guangdong, China

Factory

Building A1 & A2 Lantian Technology Park, Xinyu Road, Xinqiao Henggang Block, Shajing Street, Baoan District, Shenzhen, Guangdong, China